WORKBENCH

WITH TOP AND LOWER SHELVES

ractem
RACKING SYSTEM

www.ractem.ie

WORKBENCH

WITH TOP AND LOWER SHELVES

- Supports up to **640kg per level**
- **Levels adjustable in 38mm** increments
- Durable **epoxy powder coating**
- Ideal for **working whilst standing**
- **Boltless** assembly
- **Available** with **3 full levels**

AVAILABLE SIZES (mm)

HEIGHT: 1524

WIDTH: 1200 | 1500 | 1800 | 2000

DEPTH: 800 | 1000

FINISHES

RAL 5019

RAL 7035

RAL 2004

COLOUR COMBOS



BLUE | ORANGE



BLUE | GREY

SHELF DECKING

CHIPBOARD
16mm thickness

BORDERLESS MELAMINE
16mm thickness



BORDERED MELAMINE
16mm thickness

UPRIGHTS

- **Made from steel** and painted blue with an epoxy powder finish.
- Uprights designed to allow **levels to be adjusted in 38mm** increments.
- **Plastic foot protectors** included.







Plastic foot

SIZES (mm)

REAR UPRIGHT: 1524

TOP SHELF UPRIGHT: 596

FRONT UPRIGHT: 914



FINISH

RAL 5019

TWO-TIER TOP SHELVES

THE TOP SHELVES CONSIST OF:

- **4 long beams** for the **front** and **back**.
- **4 short beams** for the **side**.
- **2 sheets of** (16mm) **chipboard or white** (bordered or borderless) **melamine** decking.

AVAILABLE SIZES (mm)

WIDTH: 1200 | 1500 | 1800 | 2000

DEPTH: 315

WORK SURFACES

*A workbench with 3 levels and top shelves.

EACH WORK SURFACE CONSISTS OF:

- **2 long beams** for the **front** and **back**.
- **2 short beams** for the **sides**.
- **1 sheet of** (16mm) **chipboard or white** (bordered or borderless) **melamine decking**.
- **Centre supports** (see page 8).

***The workbench can be set up with a maximum of 3 levels.**



AVAILABLE SIZES (mm)

WIDTH: 1200 | 1500 | 1800 | 2000

DEPTH: 800 | 1000

MAX LOAD PER LEVEL (kg)

ⓘ For a **uniformly distributed load** on each level.

WIDTH	DEPTH	
(mm)	800	1000
1200	640kg	640kg
1500	640kg	640kg
1800	420kg	420kg
2000	620kg	620kg

TOP SHELVES AND WORK SURFACES

FRONT AND BACK BEAMS

- **Made from steel** and painted with a durable **epoxy powder finish**.
- **'U-shaped' and 'L-shaped'** beams based on the selected size.
- **Quick and easy assembly** with our slot-together rivet system.





AVAILABLE SIZES (mm)

LENGTH: 1200 | 1500 | 1800 | 2000

FINISHES

RAL 2004

RAL 7035

LONG BEAMS FOR THE **TOP SHELVES**

LONG BEAMS FOR THE **WORK SURFACES**

TOP SHELVES AND WORK SURFACES

SIDE BEAMS

- **Made from steel** and available in orange or grey.
- **Painted** with a durable **epoxy powder finish**.
- **Quick and easy assembly** with our slot-together rivet system.

AVAILABLE SIZES (mm)

TOP SHELF SIDE BEAM: 315

WORK SURFACE SIDE BEAM: 800 | 1000



FINISHES

RAL 2004

RAL 7035



WORK SURFACES

CENTRE SUPPORTS

- **Made from** galvanised **steel.**
- **Quick and easy assembly** with our slot-together rivet system.



AVAILABLE SIZES (mm)

LENGTH: 800 | 1000

NUMBER OF SUPPORTS PER LEVEL

WIDTH	DEPTH	
(mm)	800	1000
1200	1	1
1500	1	1
1800	1	2
2000	2	2



SIDE VIEW FRONT VIEW

FINISH

GALVA.

TOP SHELVES AND WORK SURFACES

DECKING: CHIPBOARD / WHITE MELAMINE

CHIPBOARD
16mm thickness



BORDERLESS MELAMINE
16mm thickness



BORDERED MELAMINE
16mm thickness



ractem
RACKING SYSTEM

Tel: **01 568 6323**
Email: **info@ractem.ie**
www.ractem.ie

ESPAÑA | FRANCE | DEUTSCHLAND | ITALIA | PORTUGAL | ÖSTERREICH | BELGIEN | NIEDERLANDE | POLEN | SCHWEIZ | IRELAND